

KANAK PLASTIC

BHAKTINAGAR STATION GODOWN ROAD

AARADHANA STREET NO-1

RAJKOT-360002 INDIA

PH:+912812462041 MOB:+919099080800

EMAIL:Mahesh.bhatti@gmail.com

WEB:www.kanakplastic.com

SIZE LIST FOR OIL SEALS



SIZE IN INCHES

SIZES IN MM

I.D.	O.D.	HT	I.D.	O.D.	HT
50	100	31	12.7	25.4	7.93
50	112	25	12.7	28.58	6.35
50	112	31	12.7	28.58	7.95
50	125	25	12.7	31.75	6.35
50	137	25	12.7	34.92	6.35
56	100	25	14.3	25.4	6.35
56	112	25	14.3	28.58	6.35
62	100	25	15.88	25.4	6.35
62	112	25	15.88	28.58	6.35
62	112	31	15.88	28.58	7.93
62	112	37	15.88	28.58	9.53
62	125	25	15.88	31.75	6.35
62	125	37	15.88	31.75	9.53
62	131	25	15.88	33.35	6.35
62	137	25	15.88	34.92	6.35
62	150	25	15.88	38.1	6.35
75	100	25	19.05	25.4	6.35
75	112	25	19.05	28.58	6.35
75	112	25	19.05	28.58	6.35
75	112	31	19.05	28.58	7.95
75	125	25	19.05	31.75	6.35
75	125	31	19.05	31.75	7.95
75	131	25	19.05	33.35	6.35
75	131	31	19.05	33.33	7.95
75	137	25	19.05	34.93	6.35
75	137	37	19.05	34.93	9.53
75	150	25	19.05	38.1	6.35
75	150	31	19.05	38.1	7.95
75	150	37	19.05	38.1	9.52
75	162	25	19.05	41.28	6.35
75	162	31	19.05	41.28	7.95
75	162	37	19.05	41.28	9.53
75	175	25	19.05	44.45	6.35
87	125	25	22.23	31.75	6.35
87	125	37	22.23	31.75	9.53
87	137	25	22.23	34.93	6.35
87	137	37	22.23	35.15	9.53

87	137	37		22.23	34.92	9.53
87	150	25		22.23	38.1	6.35
87	150	37		22.23	38.1	9.53
87	162	37		22.23	41.28	9.53
87	187	37		22.23	47.63	9.53
100	125	25		25.4	31.75	6.35
100	137	25		25.4	34.92	6.35
100	150	25		25.4	38.1	6.35
100	150	31		25.4	38.1	7.95
100	150	37		25.4	38.1	9.53
100	162	25		25.4	41.28	6.35
100	162	31		25.4	41.28	7.95
100	162	37		25.4	41.28	9.53
100	175	25		25.4	44.45	6.35
100	175	31		25.4	44.45	7.95
100	175	37		25.4	44.45	9.52
100	187	25		25.4	47.63	6.35
100	187	31		25.4	47.63	7.95
100	187	37		25.4	47.63	9.53
100	200	25		25.4	50.8	6.35
100	200	31		25.4	50.8	7.95
100	200	37		25.4	50.8	9.53
100	200	50		25.4	50.8	12.7
100	212	37		25.4	53.98	9.53
100	225	37		25.4	57.15	9.53
112	137	25		28.58	34.92	6.35
112	150	25		28.58	38.1	6.35
112	156	37		28.58	39.7	9.53
112	162	25		28.58	41.28	6.35
112	162	31		28.57	41.27	7.93
112	162	37		28.58	41.28	9.53
112	175	25		28.58	44.45	6.35
112	175	31		28.57	44.45	7.93
112	175	37		28.58	44.45	9.52
112	187	31		28.58	47.63	7.95
112	187	37		28.58	47.63	9.53
112	200	25		28.58	50.8	6.35
112	200	37		28.57	50.8	9.52
112	212	31		28.58	53.97	7.95
112	212	37		28.58	53.97	9.53
112	225	37		28.58	57.15	9.53
125	162	25		31.75	41.28	6.35
125	175	25		31.75	44.45	6.35
125	175	31		31.75	44.45	7.93
125	175	37		31.75	44.45	9.53
125	175	50		31.75	44.45	12.7
125	187	25		31.75	47.63	6.35
125	187	31		31.75	47.63	7.95

125	187	31		31.75	47.63	7.95W
125	187	37		31.75	47.63	9.53
125	200	25		31.75	50.8	6.35
125	200	31		31.75	50.8	7.95
125	200	31		31.75	50.8	7.93
125	200	37		31.75	50.8	9.53
125	200	50		31.75	50.8	12.7
125	212	25		31.75	53.97	6.35
125	212	31		31.75	53.97	7.95
125	212	37		31.75	53.97	9.53
125	225	25		31.75	57.15	6.35
125	225	50		31.75	57.15	12.7
125	237	37		31.75	60.33	9.53
125	237	50		31.75	60.33	12.7
125	250	37		31.75	63.5	9.53
131	187	44		33.35	47.63	11.13
131	200	31		33.35	50.8	7.95
131	212	37		33.35	53.98	9.53
131	287	37		33.33	73.02	9.53
137	175	25		34.92	44.45	6.35
137	187	25		34.92	47.63	6.35
137	187	31		34.93	47.63	7.95
137	187	37		34.93	47.63	9.53
137	200	31		34.93	50.8	7.95
137	200	37		34.93	50.8	9.53
137	200	44		34.92	50.8	11.13
137	212	25		34.93	53.98	6.35
137	212	31		34.93	53.98	7.95
137	212	37		34.92	53.97	9.52
137	212	44		34.93	53.98	11.13
137	225	25		34.93	57.15	6.35
137	225	31		34.92	57.15	7.95
137	225	37		34.92	57.15	9.53
137	225	44		34.93	57.15	11.13
137	225	50		34.93	57.15	12.7
137	237	31		34.93	60.33	7.95
137	237	37		34.93	60.33	9.53
137	250	37		34.93	63.5	9.53
137	250	44		34.92	63.5	11.13
137	250	50		34.92	63.5	12.7
137	275	37		34.93	69.85	9.53
150	187	25		38.1	47.63	6.35
150	200	25		38.1	50.8	6.35
150	200	31		38.1	50.8	7.95
150	212	37		38.1	53.97	9.53
150	225	31		38.1	57.15	7.95
150	225	37		38.1	57.15	9.52
150	237	37		38.1	60.32	9.52

150	250	31		38.1	63.5	7.95
150	250	37		38.1	63.5	9.53
150	250	50		38.1	63.5	12.7
150	262	37		38.1	66.68	9.53
150	262	50		38.1	66.68	12.7
150	275	37		38.1	69.85	9.53
150	275	50		38.1	69.85	12.7
150	287	37		38.1	73.02	9.53
153	209	31		38.39	53.19	7.95
156	212	25		39.7	53.97	6.35
156	212	37		39.7	53.97	9.53
156	237	31		39.7	60.33	7.95
156	237	37		39.7	60.33	9.53
156	250	31		39.7	63.5	7.95
156	250	37		39.7	63.5	9.53
156	250	50		39.68	63.5	12.7
156	300	37		39.7	76.2	9.53
162	200	50		41.28	50.8	12.7
162	212	25		41.28	53.97	6.35
162	212	31		41.28	53.97	7.95
162	212	37		41.28	53.98	9.53
162	225	25		41.28	57.15	6.35
162	225	31		41.28	57.15	7.95
162	225	37		41.28	57.15	9.53
162	237	37		41.28	60.33	9.53
162	250	25		41.28	63.5	6.35
162	250	37		41.28	63.5	9.53
162	250	50		41.28	63.5	12.7
162	256	37		41.28	65.1	9.53
162	262	37		41.28	66.68	9.53
162	287	37		41.28	73.02	9.53
162	300	37		41.28	76.2	9.52
175	225	25		44.45	57.15	6.35
175	225	31		44.45	57.15	7.95
175	225	37		44.45	57.15	9.53
175	225	44		44.45	57.15	11.13
175	231	25		44.45	58.75	6.35
175	237	37		44.45	60.33	9.52
175	237	37		44.45	60.33	9.53R
175	250	25		44.45	63.5	6.35
175	250	31		44.45	63.5	7.95
175	250	37		44.45	63.5	9.53
175	250	50		44.45	63.5	12.7
175	262	31		44.45	66.67	7.95
175	262	37		44.45	66.67	9.52
175	262	50		44.45	66.68	12.7
175	269	50		44.45	68.28	12.7
175	275	31		44.45	69.85	7.95

175	275	37		44.45	69.85	9.53
175	275	50		44.45	69.85	12.7
175	287	37		44.45	73.02	9.53
175	287	50		44.45	73.02	12.7
175	300	37		44.45	76.2	9.53
187	237	37		47.63	60.33	9.53
187	250	37		47.63	63.5	9.53
187	262	37		47.62	66.67	9.52
187	262	50		47.62	66.67	12.7
187	275	31		47.62	69.85	7.95
187	275	37		47.63	69.85	9.53
187	275	50		47.63	69.85	12.7
187	287	37		47.63	73.02	9.53
187	300	37		47.63	76.2	9.53
187	300	50		47.63	76.2	12.7
187	312	37		47.63	79.38	9.53
187	312	50		47.63	79.38	12.7R
187	325	50		47.63	82.55	12.7
200	250	25		50.8	63.5	6.35
200	250	37		50.8	63.5	9.53
200	262	37		50.8	66.67	9.52
200	275	31		50.8	69.85	7.95
200	275	37		50.8	69.85	9.53
200	275	44		50.8	69.85	11.13R
200	275	50		50.8	69.85	12.7
200	287	37		50.8	73.02	9.52
200	287	50		50.8	73.02	12.7
200	300	25		50.8	76.2	6.35
200	300	37		50.8	76.2	9.53
200	300	50		50.8	76.2	12.7
212	275	37		53.98	69.85	9.53
212	287	37		53.98	73.03	9.53
212	287	50		53.98	73.03	12.7
212	300	37		53.97	76.2	9.53
212	300	50		53.97	76.2	12.7
212	306	50		53.98	77.8	12.7
212	312	37		53.97	79.37	9.52
212	312	50		53.98	79.38	12.7
212	325	37		53.97	82.55	9.52
212	337	37		53.97	85.73	9.53
212	337	50		53.98	85.73	12.7
212	350	50		53.98	88.9	12.7
225	275	37		57.15	69.85	9.53
225	275	50		57.15	69.85	12.7
225	287	37		57.15	73.02	9.52
225	300	37		57.15	76.02	9.53
225	300	37		57.15	76.2	9.5/10.7R
225	300	50		57.15	76.2	12.7

225	312	37		57.15	79.38	9.53
225	325	25		57.15	82.55	6.35
225	325	37		57.15	82.55	9.53
225	325	50		57.15	82.55	12.7
225	337	37		57.15	85.73	9.52
225	337	50		57.15	85.73	12.7
225	350	50		57.15	88.9	12.7
225	362	50		57.15	92.07	12.7
231	312	37		58.75	79.38	9.53
231	325	50		58.75	82.55	12.7
237	287	31		60.33	73.02	7.95
237	300	37		60.33	76.2	9.53
237	312	37		60.32	79.37	9.52L
237	325	37		60.33	82.55	9.53
237	325	50		60.33	82.55	12.7
237	337	37		60.33	85.73	9.53
237	337	50		60.32	85.73	12.7
237	350	50		60.33	88.9	12.7
250	300	25		63.5	76.2	6.35
250	300	31		63.5	76.2	7.93
250	300	37		63.5	76.2	9.53
250	312	37		63.5	79.25	9.4
250	325	37		63.5	82.55	9.53
250	337	31		63.5	85.73	7.95
250	337	37		63.5	85.73	9.53
250	337	50		63.5	85.72	12.7
250	350	37		63.5	88.9	9.53
250	350	50		63.5	88.9	12.7
250	355	44		63.5	90.09	11.13
250	362	50		63.5	92.07	12.7
250	375	37		63.5	95.25	9.52
250	375	50		63.5	95.25	12.7
262	337	37		66.67	85.72	9.52
262	350	50		66.68	88.9	12.7
262	350	50		66.68	88.9	12.7
262	362	37		66.68	92.07	9.53
262	362	50		66.67	92.07	12.7
262	375	50		66.68	95.25	12.7
262	400	50		66.68	101.6	12.7
275	325	25		69.85	82.55	6.35
275	337	31		69.85	85.73	7.95
275	350	37		69.85	88.9	9.53
275	350	50		69.85	88.9	12.7
275	375	37		69.85	95.25	9.52
275	375	44		69.85	95.25	11.13
275	375	50		69.85	95.25	12.7
275	387	44		69.85	98.43	11.13
275	387	50		69.85	98.43	12.7

275	400	50		69.85	101.6	12.7
287	350	31		73.02	88.9	7.95
287	362	37		73.02	92.07	9.52
287	375	37		73.03	95.25	9.53
287	375	50		73.02	95.25	12.7
287	400	50		73.03	101.6	12.7
300	350	37		76.2	88.9	9.53
300	375	31		76.2	95.25	7.95
300	375	37		76.2	95.25	9.53
300	387	37		76.2	98.43	9.53
300	400	37		76.2	101.6	9.53
300	400	44		76.2	101.6	11.13
300	400	50		76.2	101.6	12.7
300	412	50		76.2	104.78	12.7
300	425	50		76.2	107.95	12.7
300	450	50		76.2	114.3	12.7
312	387	50		79.38	98.43	12.7
312	412	50		79.38	104.78	12.7
312	452	50		79.38	114.71	12.7
312	475	50		79.38	120.65	12.7
325	400	37		82.55	101.6	9.53
325	400	50		82.55	101.6	12.7
325	425	50		82.55	107.95	12.7
325	450	50		82.55	114.3	12.7
325	462	50		82.55	117.48	12.7
325	475	37		82.55	120.65	9.53
325	525	50		82.55	133.35	12.7
337	387	37		85.73	98.43	9.53
337	400	37		85.73	101.6	9.53
337	425	50		85.73	107.95	12.7
337	437	50		85.73	111.13	12.7
337	450	50		85.73	114.3	12.7
337	462	50		85.72	117.47	12.7
337	475	50		85.73	120.65	12.7
337	487	50		85.73	123.82	12.7
350	412	50		88.9	104.78	12.7
350	437	50		88.9	111.13	12.7
350	450	37		88.9	114.3	9.53
350	450	50		88.9	114.3	12.7
350	450	58		88.9	114.3	14.68
350	475	50		88.9	120.65	12.7
350	500	50		88.9	127	12.7
362	437	44		92.07	111.13	11.13
362	450	37		92.07	114.3	9.53
362	450	50		92.07	114.3	12.7
362	462	50		92.07	117.48	12.7
362	500	50		92.07	127	12.7
375	450	37		95.25	114.3	9.53

375	450	50		95.25	114.3	12.7
375	462	50		95.25	117.48	12.7
375	475	50		95.25	120.65	12.7
375	500	44		95.25	127	11.13
375	500	50		95.25	127	12.7
387	475	50		98.43	120.65	12.7
387	500	50		98.42	127	12.7
387	512	50		98.43	130.17	12.7
387	537	50		98.43	136.53	12.7
400	450	25		101.6	114.3	6.35
400	450	50		101.6	114.3	12.7
400	475	50		101.6	120.65	12.7
400	500	31		101.6	127	7.95
400	500	37		101.6	127	9.53
400	500	50		101.6	127	12.7
400	512	50		101.6	130.18	12.7
400	525	50		101.6	133.35	12.7
400	550	50		101.6	139.7	12.7
400	562	50		101.6	142.88	12.7
400	600	50		101.6	152.4	12.7
412	512	50		104.78	130.18	12.7
412	550	50		104.78	139.7	12.7
425	525	50		107.95	133.35	12.7
425	537	50		107.95	136.52	12.7
425	550	50		107.95	139.7	12.7
425	550	75		107.95	139.7	19.05
425	562	50		107.95	142.88	12.7
425	575	50		107.95	146.05	12.7
425	600	56		107.95	152.4	14.3
437	537	50		111.13	136.53	12.7
437	537	56		111.13	136.53	14.3
437	600	50		111.13	152.4	12.7
437	625	56		111.13	158.75	14.3
441	575	50		111.91	146.05	12.7
450	550	50		114.3	139.7	12.7
450	575	50		114.3	146.05	12.7
450	600	50		114.3	152.4	12.7
450	612	56		114.3	155.58	14.3
450	637	56		114.3	161.92	14.3
461	562	50		117.07	142.88	12.7
462	562	50		117.47	142.88	12.7
472	575	50		119.86	146.05	12.7
475	550	50		120.65	139.7	12.7
475	575	50		120.65	146.05	12.7
475	600	50		120.65	152.4	12.7
475	600	56		120.65	152.4	14.3
475	600	62		120.65	152.4	15.88
475	625	50		120.65	158.75	12.7

487	625	56	123.83	158.75	14.3
500	575	44	127	146.05	11.13
500	575	50	127	146.05	12.7
500	600	50	127	152.4	12.7
500	625	50	127	158.75	12.7
500	650	50	127	165.1	12.7
525	625	50	133.35	158.75	12.7
525	650	50	133.35	165.1	12.7
525	650	56	133.35	165.1	14.3
537	637	50	136.53	161.93	12.7
550	625	50	139.7	158.75	12.7
550	650	50	139.7	165.1	12.7
562	650	50	142.88	165.1	12.7
575	675	50	146.05	171.45	12.7
575	700	50	146.05	177.8	12.7
575	887	75	146.05	225.43	19.05
587	687	50	149.23	174.63	12.7
600	700	50	152.4	177.8	12.7
600	700	62	152.4	177.8	15.88
600	750	50	152.4	190.5	12.7
600	750	62	152.4	190.5	15.88
600	775	37	152.4	196.85	9.53
606	712	50	154	180.98	12.7
612	712	50	155.57	180.97	12.7
625	725	50	158.75	184.15	12.7
637	737	50	161.93	187.32	12.7
650	750	50	165.1	190.5	12.7
650	775	50	165.1	196.85	12.7
662	762	50	168.27	193.68	12.7
675	775	50	171.45	196.85	12.7
675	800	50	171.45	203.2	12.7
687	787	50	174.62	200.02	12.7
687	787	56	174.62	200.02	14.3
700	800	50	177.8	203.2	12.7
700	850	50	177.8	215.9	12.7
700	850	75	177.8	215.9	19.05
725	875	56	184.15	222.25	14.3
725	875	75	184.15	222.25	19.05
737	887	56	187.33	225.43	14.3
750	900	75	190.5	228.6	19.05
775	875	44	196.85	222.25	11.13
800	900	62	203.2	228.6	15.88
800	950	50	203.2	241.3	12.7
800	950	56	203.2	241.3	14.3
800	950	75	203.2	241.3	19.05
825	975	56	209.55	247.65	14.3
850	950	50	215.9	241.3	12.7
850	975	75	215.9	247.65	19.05

850	1000	75		215.9	254	19.05
875	1025	56		222.25	260.35	14.3
900	1050	56		228.6	266.7	14.3
950	1100	56		241.3	279.4	14.3
950	1100	75		241.3	279.4	19.05
1000	1100	56		254	279.4	14.3
1000	1150	56		254	292.1	14.3
1050	1237	69		266.7	314.33	17.48
1100	1200	66		279.4	304.8	16.66
1200	1300	50		304.8	330.2	12.7
2100	2300	87		533.4	584.2	22.23